



St. Johns River Water Management District

Ann B. Shortelle, Ph.D., Executive Director

4049 Reid Street • P.O. Box 1429 • Palatka, FL 32178-1429 • (386) 329-4500
On the Internet at www.sjrwmd.com.

July 21, 2017

SUBJECT: Notice of District Decision to Grant Permit(s)
In Seminole County

Dear Sir/Madam:

The staff of the St. Johns River Water Management District has completed their review of the environmental resource permit application(s) described below. Based on this review, the District gives notice of its decision for the application(s) described below. The District is providing you this notice because you are either listed as a County Interested Person or you expressed an interest in one or more of these application(s).

The District gives notice of its decision to grant permit(s) for the following application(s):

RaceTrac Petroleum, Inc., Ste 100, 3225 Cumberland Blvd Se, Atlanta, GA 30339-6408 application #49812-2. The project is located in Seminole County, Section: 16, Township: 21 South, Range: 29 East, and includes 0.05 acres. The Environmental Resource Permit application is for the addition of 2,099 sf of impervious surface as part of the remodeling of RaceTrac Altamonte Springs #629. The receiving waterbody is Wekiva River.

City of Winter Springs, 1126 E State Road 434, Winter Spgs, FL 32708-2715 application #22353-7. The project is located in Seminole County, Section: 6, Township: 21 South, Range: 31 East, and includes 0.1 acres. The Environmental Resource Permit application is for improvements which include adding a 12-ft wide westbound right-turn deceleration lane, along State Road 434, at the Winter Springs City Hall entrance. Additional work associated with the turn lane includes: the relocation of one (1) curb inlet, the relocation of one (1) ditch bottom inlet, and the addition of one (1) curb inlet. The project is known as State Road 434 and City Hall Access Drive Intersection Improvements. The receiving waterbody is Lake Jesup.

If you wish to receive a copy of a Technical Staff Report (TSR) that provides the District staff's analysis of a permit application, please submit your request to: Director, Office of Business and Administrative Services, P.O. Box 1429, Palatka, FL 32178-1429. Once a TSR becomes available, you may also review it by going to the District's Web Site at www.sjrwmd.com/permitting/index.html. To obtain information on how to find and view a TSR or other permit application file documents, visit https://permitting.sjrwmd.com/epermitting/html/EP_FAQs.html and then follow the directions provided under "How to find a Technical Staff Report (TSR) or other application file documents."

The file(s) containing the permit application(s) and TSR(s) are available for inspection Monday through Friday, except for District holidays, 8 a.m. to 5 p.m., at the St. Johns River Water Management District Headquarters, 4049 Reid St., Palatka, FL 32177-2529. You may also view files at one of the District's service centers, but you should call service center staff in advance to make sure that the files are at a specific service center. Service center contact information is available online at www.sjrwmd.com/contactus/permitting.html.

If you wish to do so, please visit www.sjrwmd.com/nor_dec/ to read the Notice of Rights to determine any legal rights you may have to request an administrative hearing concerning the District's decision(s) on the permit application(s) described herein.

Posting Note: This Notice was posted on the District's Web Site on July 21, 2017.

GOVERNING BOARD

John A. Miklos, CHAIRMAN
ORLANDO

Fred N. Roberts Jr., VICE CHAIRMAN
OCALA

Chuck Drake, SECRETARY
ORLANDO

Ron Howse, TREASURER
COCOA

Douglas C. Bournique
VERO BEACH

Douglas Burnett
ST. AUGUSTINE

Susan Dolan
SANFORD

Janet Price
FERNANDINA BEACH